
TECHNOSPACIO SLIDING SPEED GATE



Deluxe Oval shape Sliding Turnstile Model:TS-WGS-400





General Information:

TECHNOSPACIO sliding speed gates provide aesthetic and effective control of entry or exit at kinds of toll collection systems like train/metro stations, and access control for commercial centers, stadiums, schools, government and private sector buildings etc.

TS-WGS-400 deluxe oval shape sliding speed gate are compact and cost-effective entrance solutions. Designing for smooth and silent operation, reducing power consumption, wear and tear. It is suitable for areas with a high traffic volume.

Application:

Using sliding turnstiles is a popular choice when checking tickets at sports stadiums, amusement parks, and university facilities. They eliminate the need for attendants at entrances and provide a means to count the number of pedestrians entering into a facility. These turnstiles paired with card readers and electronic operation are the most popular choice for subway systems and can be found in most of them.

Access Control System (Optional)



SWIPE CARD

Accesswithauthorized cardandpaymentcard swipe to open the gate



IRIS RECOGNITION

Use the authorized eyes of Iris Recognition to pass through the entry gates



FINGER PRINT RECOGNITION Access with authorized fingerprint authentication



PALM VEIN **RECOGNITION** Use authorized palm vein recognition to pass into



Use disposable coins to enter



FACE RECOGNITION Use authorized face recognition to enter



QR CODE Scan in with authorization QR code and barcode



MANUAL OPERATION

Manual use of wired and wireless to open gates for entry

Features



Appearance
High end appearance,
Main body and lateral lids are AISI 304-grade
stainless steel.

Top lid:Black acrylic panel

Flap panel:Acrylic/tempered,10mm thickness IR sensor:6 pairs(can be customized)



Drive technology

 $Brushless\,servo\,motor\,ensures\,the\,longer\,lifespan$ and smooth and durable running

Self developed mainboard, ARM controltech Famound brand electrical components



- Safety and User-Orientated Design
 1.2/1.5/1.8m high retractable glass door for strict
 access control.
 Precise and durable mechanisms for mass traffic
- application sites.
 Humanized indicator lights and voice prompts




- Anti-follow Anti-climb/creep
- Anti-panic Anti-pinch

Easy Integration

- Defaulted with card swiping window covered with black acrylic panel.
- Wide compatible to various recogntion methods available
- Communication interface:Relay signal. Standard electrical interface for third party $\mbox{device}\,.$
- TECHNOSPACIO provides not only turnstile system but also complete solutions for our customers, for instance, online/offline ticketing/ attendance/visitormanagement/EU green pass and etc.



Measurement:



Brand name	T E C H N O S P ACIO
Mechanism part	Connecting rod structure
Motortype	DC brushless motor/Servo motor
Flowrate	30 - 4 0 pe o ple / minute (
Passage width(mm)	650 - 900m
Rated Power	80W
Cabint material	SUS 304;1.5mm thickness
Infared sensor	6 pairs
Glass panel height(mm)	800 - 1500 mm
Input/Output signal	dry contact/relay signal
Dimension	1600*300*1000mm
IR sensor(pair)	6 (defaulted)
Net weight	70 KG
Gross weight	73 KG
IP	IP 55
Operating Temperature	-28 °C- 60 °C
Operating Humidity	5% - 85%
Working Environment	Indoor/Outdoor covered
Voiceprompt	Yes