
TECHNOSPACIO ELEGENT SPEED





General Information:

TECHNOSPACIO Elegant High Speed gate TS-SG-1000 provide fast, reliable access control of your building's entrance without compromising on security, while seamlessly blending in to the aesthetics of the surrounding space.

It features for slim and stylish appearance. full body with clear tempered glass/lazer pattern acrylic (optional) adaptable to match any aesthetic requirements, while still retaining high level security features.

Main Features:

- Fast & Efficient: Allow continous passer of up to 30-40 people per minutes, (pending on swing size)
- Quiet and smooth in operation, the ideal choice for sites where limited space is available and aesthetics are of high importance.
- Adopt ARM control technology and modular mechanism, durable and solid in peformance.
- High customisable; Available with various length, height and colour options.

Access Control System (Optional)



SWIPE CARD

Accesswithauthorized cardandpayment card sex piece swipe to open the way



IRIS RECOGNITION

Use the authorized eyes of Iris Recognition to pass through the entry gates



FINGERPRINT RECOGNITION

Access with authorized fingerprint authentication



PALM VEIN **RECOGNITION**

Use authorized palm vein recognition to pass into



COIN/TICK ET

Usedisposablecoins to coin through to enter



FACE RECOGNITION

Use authorized face recognition to enter



QR CODE

Scan in with authorization QR code and barcode



MANUAL OPERATION

Manualuse of wired andwireless to open gates for entry

Product Details



Durable \$ Reliability

Upgraded mechanism.smooth running and durable in performance.MCBF:8million times. Precise and alert swing panel position. Self-developed mainboard, modular design ,ARM control technology.

Easier and less maintainance One year factory warranty.





Secure & Efficiency

Elegantandhighend appearance design Visibletri-colorindicatortomakeaccess experience comfortable and ease. Passage width can be customized Ideal for normal lane as well as wheelchair


Support swing panel Logo print. Special designed case shape, userfriendly for passenger to swipe card or biometric ways.


Easy Integration

- Flexible reader installation plate. Customers can easily integrate with third party redaer Standard electrical interface for third party device.
- By using compact mechanism, the
- turnstile has more space inside for integration

TECHNOSPACIO provides integration service in factory, with board and peripherals installed, ensuring compliance of the system. When the turnstile is delivered, just plug it in and do the setting. Save the cost of installation.

Dimension:





Brand	TECH NO SPACIO			
Motor type	DC SERVO motor			
Cabinet Material	SUS304+Side Glass panel+Top black acrylic lid			
Passage Width	600 - 90 0 mm			
Rated Power	50W			
Flow rate	30-40 persons/minute (pending on swing panel size)			
Passage direction	Single directional/Bi-directional			
IR sensor(qty.)	4 pairs(defaulted)			
Power input	AC 100 - 240 V, 50 / 60 HZ			
Emergency signal	Yes			
Swing panel	Acrylic/tempered (optional)			
Working voltage	50 volt			
Working humidity	30 % ~ 95 %			
Working temperature	-40°C~ +70°C			
Compatibility	Compatible to all recogntion methods available			
Communication interface	RS232/485			
Net Weight(kg)	55			
Dimension (mm)	1500*120*1000			